
No.



200200113

<u> 4HIB UNIHBID SHAYIES ORAYIERIQA</u>

<u>TO AHL TO WHOM THESE: PRESENTS SHAML COME;</u>

Frogeny Advanced Genetics, Inc.

PLOCENS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY TEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN APUBLIC REPOSITORY AS PROVIDED BY LAW, THE SIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR STUTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE SURPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROPAGATION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

LETTUCE

'Gorilla'

In Testimonn Marrot, I have hereunto set my hand and caused the seal of the Plant Anxiety Protection Office to be affixed at the City of Washington, D.C. this seventh day of August, in the year two thousand and six.

Altest

Benz

Commissioner Plant Variety Protection Office Agricultural Marketing Service Secretary Southure

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued

APPLICATION	FOR PLANT	VARIETY	PROTECTION	CERTIFICATE
(Instructions	and information	collection.	nurden statement	on reverse)

	s and information	n collection burder	n statement on reve	rse)		PASS
1. NAME OF OWNER		CED CEMETIC	C THE		2. TEMPORARY DESIGNA EXPERIMENTAL NAME	TION OR 3. VARIETY NAME
PRUG	ENT ADVAN	CED GENETIC	5, INC.			Gorilla
•	and No., or R.F.D. No.	o., City, State, and ZIP (Code, and Country)		5. TELEPHONE (include an	ea code) EOROFFICIAL USE ONLY
	NAS CA 939				831-751-6030	PVPO NUMBER
•					6. FAX (include area code)	200200113
					831-751-6032	
			<u> </u>			FILING DATE
CORP	ORATION		CAI	CORPORATED, GIVE E OF INCORPORATION _IFORNIA	9. DATE OF INCORPORAT 12/26/94	10N March 11,2002
		PRESENTATIVE(S) TO	SERVE IN THIS APPLICA	TION. (First person listed wit	ll receive all papers)	FILING AND EXAMINATION FEES:
	YN GIBSON GER OF RES	EARCH AND D	DEVELOPMENT		•	F 2 705
PROG	ENY ADVANC	ED GENETICS				
	B MOFFETT VAS CALIFO	SI RNIA 93905				PATE 3/11/2002 CE CERTIFICATION FEE:
						× 768-
				-	•	DATE 5 23 200
11. TELEPHONE (Inch	ide area code) 751–6030	12. FAX (Include ar 831–751	•	13. E-MAIL DMAN@IPROGI	ENY.COM	14. CROP KIND (Common Name) LETTUCE
15. GENUS AND SPEC	IES NAME OF CROF	.		16. FAMILY NAME (Bota		17. IS THE VARIETY A FIRST GENERATION HYBRIO?
	· · · · · · · · · · · · · · · · · · ·	ATTACLIMENT CUICA		<u></u>		YES X NO
reverse) a. 💢 Exhibit A	. Origin and Breeding	History of the Variety	ITTED (Follow instructions	on 19. DOESTHI CERTIFIE	E OWNER SPECIFY THAT SEED (D SEED? See Section 83(a) or YES (If "yes", answer items 20 and 21 below)	OF THIS VARIETY BE SOLD AS A CLASS OF If the Plant Variety Protection Act) NO (If "no", go to item 22)
NA.A	Statement of Distinct Objective Description			20. DOES THE	OWNER SPECIFY THAT SEED (OF THIS YES NO
	•	on of the Variety (Option sis of the Owner's Owne			BE LIMITED AS TO NUMBER OF (HICH CLASSES? FOUND	
f. Voucher verification	Sample (2,500 viable n that tissue culture v	unireated seeds or, for t	" uber propagated varieties, intained in an approved pu	blic 21. DOES THE	OWNER SPECIFY THAT SEED (DETHIS YES I NO
repository	9		*Treasurer of the United	VARIETY	BE LIMITED AS TO NUMBER OF (PECIFY THE FOUNDATI	SENERATIONS?
		··· · · · · · · · · · · · · · · · · ·			al explanation is necessary, please	use the space indicated on the reverse.)
22. HAS THE VARIETY FROM THIS VARIET OTHER COUNTRIE	(INCLUDING ANY HA 'Y BEEN SOLD, DISF 3?	ARVESTED MATERIAL) POSED OF, TRANSFER	OR A HYBRID PRODUCT RED, OR USED IN THE U	ED 23. IS THE VA S. OR PROPERT	RIETY OR ANY COMPONENT OF Y RIGHT <i>(PLANT BREEDER'S RIC</i>	THE VARIETY PROTECTED BY INTELLECTUAL SHT OR PATENT)?
YES	DDALIDE THE CAT	□ NO			YES	NO
FOR EACH COUNT	RY AND THE CIRCU	IMSTANCES. (Please u	POSITION, TRANSFER, C ise space indicated on revi	erse.) REFERENC	E NUMBER. (Please use space in	
ion a raper brobagate	u variety a ussue cult	mie will he debosited ill	a positic repository and me	antained for the duration of t	ne ceruncate.	ith such regulations as may be applicable, or
and is entitled to pro-	ection ander the brox	ations of Section 42 of the	te Fizht vanety Frotection	Act.	that the variety is new, distinct, uni	form, and stable as required in Section 42,
SIGNATURE OF OWNER	· · · · · · · · · · · · · · · · · · ·	erranou necetu catr leot	pardize protection and resu	sit in penalties.	FOWNER	
LAND	n 1/2			55.01		
NAME (Please print or ty)	(~		, <u>, , , , , , , , , , , , , , , , , , </u>	NAME (Please)	print or type)	
DARRYN	GIBSON					
CAPACITY OR TITLE MANAGER	OF RESEAR	RCH AND	DATE	CAPACITY OR	TITLE	DATE

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,705 (\$320) filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291

200200713

ITEM

18a. Give:

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

MARCH 16,2001 U.S.A

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed/ls-sd.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (04-01) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (02-99) which is obsolete.



Exhibit A

Details of the Development of the Variety Gorilla

Gorilla is a romaine lettuce variety developed from a hand pollinated crown a Gorilla is a romaine lettuce variety developed from a hand pollinated cross Green harvested was designated as Gamma # 044. Green Towers, a PIC type available from Harris Moran Seed Co. was selected as a source of size, type and vigorous growth habit. Tall Guzman a publicly available variety released by the USDA was the source of corky root resistance, weight and heat tolerance. The cross was made, and by using the pedigree selection breeding method, we developed a dark green, tall, slow bolting corky root resistant Romaine variety with improved size and weight for plantings in all lettuce production regions of the western United States.

> Approximately 40 plants of the F1 seed were planted in a San Joaquin Valley production field for seed increase in 1995. The block was rogued, eliminating the selfpollinating plants. Individual plant selections were made, black seeded plants were harvested separately and individually. The F2 seed was harvested in August 1995.

The F2 seed was evaluated in research and development plot trials in late 1995 and 1996 and designated as PX 315. The seed was then increased in 1996 in a San Joaquin Valley research production block. The block was intensely rogued at the market stage, and individual plants were selected for improved size, color and late maturity. Selected plants were harvested individually and the remainder of the plants were harvested in bulk for trial purposes to produce the F3 seed.

The F3 seed was trialed throughout the years 1996 and 1997 growing seasons in Yuma, Arizona and the Salinas Valley of California. The F3 seed was then again increased in our 1997 SJV research production block. Selections for large size, dark green color and heat resistance were made and the plants were grown to seed. The remainder of the block was rogued for type size and maturity and bulk harvested for F4 trial seed.





The F4 seed was evaluated in research and development plot trials during the 1998 growing season in the Salinas Valley of California, where it exhibited corky root resistance and improved size and weight.

During the year 1999 growing seasons, we continued to extensively trial the F4 seed in Yuma Arizona and the Salinas Valley of California. This variety was noted to exhibit the desired phenotypic traits but lacked uniformity. The F4 seed was planted in 1999 in our San Joaquin Valley research production field, where it was selectively rogued for uniformity in size and color. The variety segregated, for maturity, early and late maturing plants were harvested separately producing different 3 different lines of the F5 seed. The earliest maturing line was designated as PX 404 on January 10, 2000.

PX 404 was Extensively trialed through out the Salinas Valley in 2000 demonstrating good uniformity in terms of size, type and maturity. The F5 seed was then increased in our 2000 San Joaquin Valley commercial production field. The variety was noted as uniform and stable without variants. The F6 seed was harvested in the fall of 2000. The variety was named 'Gorilla' on October 27, 2000.

The F5 seed was noted in commercial trials and the seed production field to be uniform and stable with out variants.

Gorilla was first sold on March 16, 2001, no harvested material of the variety Gorilla was sold or offered for sale prior to this date.



Exhibit B

Statement of Distinctness

Gorilla is a distinct variety of romaine lettuce for conventional, heart, or commodity production programs. Gorilla is ideally suited for transition period plantings where corky root is a problem with typical Parris Island Cos types, and size an issue for the corky root resistant Florida types. Though the variety can be planted for bulk or box harvest, it's upright compact growth habit, combined with its dense, tall heart and narrow pointed butt, make it an ideal choice for the production of romaine hearts. It's resistance to corky root make it an exceptional variety for spring plantings in the Salinas Valley, while its ability to maintain color during the winter freezes offers advantages in the Yuma production region.

Gorilla is an intermediate type romaine lettuce, derived from Florida and PIC parentage that most closely resembles Tall Guzman. The leaf surface of Gorilla is moderately blistered, more so than a typical PIC type, such as Green Towers, and less so than a typical Florida type such as Tall Guzman or King Henry.

As shown in the following tables, Gorilla is statistically different from its commercially 3/29/06

As shown in the following tables, Gorilla is statistically different from its commercially available parent varieties. When compared to Green Towers, Gorilla has a more heavily savoyed leaf surface, a shorter and more upright/compact growth habit and a better resistance to the symptoms associated with corky root rot. The seed color also distinguishes Gorilla from Green Towers, the seed of Gorilla is black, where as the seed of Green Towers is white. Additional distinctions between Gorilla and Green Towers as cited in their Respective Exhibit C documentation includes:

Characteristic	Gorilla	Green Towers
Cotyledon Shape	Broad	Intermediate
Cotyledon Leaf Shape	Oval	Elongated
4 th Leaf Reflexing	Lateral margin	None
Mature Leaf Incision Depth	Moderate	Deep
Mature Leaf Indentation	Crenate	Deeply dentate
Margin Undulation	Moderate	Strong

When compared to Tall Guzman, Gorilla is taller, earlier maturing as indicated by the measured core lengths, has a smoother, less savoyed leaf surface, and a longer heart.

Characteristic:	Gorilla	Tall Guzmaine
4th leaf stage:		
Green color	Dark	Medium
Rolling	Absent	Present
Cupping	Uncupped	Slight
Reflexing	Lateral Margin	None
Mature leaf:		
Glossyness	Moderate	Dull
Blistering	Moderate	Strong
Bolter Leaf:		
Color	Medium	Dark
Bolter Habit:		
Terminal Inflorescence	Absent	Present
Lateral Shoots	Absent	Present
Basal Shoots	Absent	Present
Physiological Stress:		
Tip Burn	Tolerant	Resistant
Heat	Intermediate	Resistant
Cold	Susceptible	Moderate.

U. S. Department of Agriculture Agricultural Marketing Service Science and Technology Program

OBJECTIVE DESCRIPTION OF VARIETY LETTUCE Lactuca sativa

NAME OF APPLICANT (S)			FOR OFFICE	AL USE ONLY
PROGENY ADVANCED GENE			PAPO NUMERA	A A 90
ADDRESS (Street and No. or R.F.D. No	., City, State, and ZIP Code)		200200	1115
1536 B MOFFETT STREET	005		VARIETY NAME	•
SALINAS CALIFORNIA 93	900			
			EXPERIMENTAL DESI	GNATION
Place numbers in the boxes for the chara- spaced plants. Royal Horticultural Socie	cters which best describe this ty or any recognized color sta	variety. Measured data shoul andard may be used to determ	d be the mean of an appropriate nine plant colors,	umber (at least 10) o
SALINAS VALLEY CA.	& YUMA AZ.	Color System U MUNSEL	L COLOR CHART	
1. PLANT TYPE: (See list of sugges	ted check verieties page 4.)			9- ·
01-Cutting/Leaf 02-Butterhead 03-Bibb	06~Vanguard Gr 07≃Imperial Gro	oup 10~Latin up 11~OTHER		•
04=Cos or Roma				
2. SEED: COLOR 1-White (Silver Gray)	LIGHT DOR		EAT DORMANCY	
2-Black (Gray Brown)	1/1	111 :	·Susceptible ·Not Susceptible	
3-Brown (Amber) 3. COTYLEDON TO FOURTH LEAF ST	2-Light Not	doi.co	of the fourth lest from 20 day old	t ending
r 1	grown under	optimal conditions.		2 seeOffing
SHAPE OF COTYLEDON	VS: 1≃Bro∍d 2	~Intermediate 3=Sc	parulate	
M		· .	Λ	
A SHAPE OF FOURTH LEA	AF:		//\	1
				5
				5
				· 〈
()) (-111 ~ 31	رر
			11/ 5/2	-
		\J\	11 215	
	•	•	_	
1	2 3	4	5 6	-
119 CENGTH/WIDTH INDEX	OF FOURTH LEAF: LW x	10		
APICAL MARGIN:	1~Entire	4-Moderately Dentate	7-Lobed	
[] railone marione:	2=Creanate/Gnawed	5-Coarsely Dentate	8-OTHER (specify)	
A. BASAL MARGIN:	3-Finely Dentate	6=Incised		
<u> </u>				
UNDULATION:	1=Flat	2-Slight	3=Medium	4=Marked
Ш	<u> </u>			
4. GREEN COLOR:	1-Yellow Green	3-Medium Green	5-Blue Green	7#Gray Green
ANTHOCYANIN:	2-Light Green	4-Dark Green	6-Silver Green	
	1 - 61		5-OTHER (specify)	
DISTRIBUTION:	1-Absent 2-Margin Only	3-Spotted 4-Throughout		
CONCENTRATION:	1=Light	2-Moderate .	3=Intense	
	3. 8.1			
ROLLING:	1-Absent	2-Present		
CUPPING:	1=Uncupped	2=Slight	3=Markedly	_

2"Apical Margin

3-Lateral Margins

3 REFLEXING:

1-None

4. MATU	RE LEAVES (observe harvest-m.	ature outer leavest	LVVEU	
	Provide color photo of hervest-	mature leaves which accurately shows color	and margin characteristics.	
. []	MARGIN: INCISION DEPTH: Ideepest penetration o	1=Absent/Shallow (Dark Green Boston I the margin)	2~Moderate (Vanguard)	3-Deep (Great Lakes 6:
	INDENTATION: (finest divisions of the man	1=Entire (Dark Green Boston) 2-Shallowly Dentate (Great Lakes 65)	3-Despiy Dentate (Great Lakes 659) 4-Crenate (Vanguard)	5-OTHER (specify)
	UNDULATION OF THE APICAL MARGIN:	HE 1-Absent/Slight (Dark Green Boston)	2-Moderate (Vanguard)	3-Strong (Great Lakes (
3	GREEN COLOR:	1=Very Light Green (Bibb) 2=Light Green (Minetto)	3-Medium Green (Great Lakes) 4-Dark Green (Vanguard)	5-Very Dark Green 6-OTHER
	ANTHOCYANIN (grown at	or below 10 C):		
	DISTRIBUTION:	1-Absent 2-Margin Only (Big Boston)	3-Spotted (Calif, Cream Butter) 4-Throughout (Prize Head)	5-OTHER (specify)
	CONCENTRATION:	1=Light (Iceberg)	2-Moderate (Prize Head)	3-Intense (Ruby)
2	SIZE:	1-Small	2=Medium	3-Large
1	GLOSSINESS:	1=Duil (Vanguard)	2-Moderate (Salinas)	3-Glossy (Great Lakes)
2	BLISTERING:	1=Absent/Slight (Salinas)	2=Moderate (Vanguard)	3=Strong (Prize Head)
2	LEAF THICKNESS:	1-Thia	2-Intermediate	3-Thick
	TRICHOMES:	1-Absent (smooth)	2-Present (spiny)	
5. PLANT (a	l market stage. Choose a compa	rison variety appropriate for this type.):		
25	SPREAD OF FRAME LEAVES	S:		
12121	cm This Variety	37 cm TALL GUZMA	U)
35	HEAD DIAMETER (market to cm. This Variety	rimmed with single cap leass: [3] 7] cm _[ALL GUEMA	(specify comparison variety)
4	HEAD SHAPE:	7- 00-1-1-1-01-1-1-1-1-1-1-1-1-1-1-1-1-1-		5-Non-Heading 5-OTHER
1	HEAD SIZE CLASS:	1-Small	2-Medium	3=Large
24	HEAD COUNT PER CARTON		,	
le 415	HEAD WEIGHT: g This Variety	627. TALL GUZMAN	(apecify composison variety)	
2	HEAD FIRMNESS:		-Firm -Very Firm	
6. BUTT (botte	om of market-trimmed head):		-	
<u> </u>	SHAPE:	1=Slightly Concave 2	-Flat 3	-Rounded
[2]		I-Flattened (Salinas) 2	►Moderately Raised 3	-Prominently Raised (Great Lakes 659)
/. CORE (atem	of market-trimmed head):			
38	mm Diameter at base of head			
ــلكا.لـكلــا	Ratio of head diameter/core diameter			
1/014	Core height from base of head to mm. This Variety	49 mm TALL GUZMAN	(specify comparison variety)	
8. BOLTING (C	lue First Water Date 5 11		date seed first receives adequate moist	J/4
	lumber of days from First Water his Variety	Oate to seed stalk emergence (aummer con	ditions); 	· ·
3 8		C1 _	Medium 5- Rapid	Very Rapid
-/ }] / { / ^ / ^	leight of mature seed stalk: m. This Variety	[60 cm TALL GUZMAN	(specify comparison variety)	
			•	

200200113

	. \$0	read of Bolter Plant for u	alda a main sta		EV VE W	A H H S
[3	7.1 1 1	This Variety	[28]cm_	TALL GUZMAN	(specify comparison var	iety)
	ВО	ILTER LEAVES:	1-Straight	2-Curved		
	2	MARGIN:	1=Entire	2-Oentate	1.7	
		COLOR:	7-Light Green	2-Medium G	ireen	3-Dark Green
	800	LTER HABIT:	•			
- 		TERMINAL INFLORESCENCE:	1+Absent	2~Present	·	
-		LATERAL SHOOTS:	1=Absent	2-Present		
		BASAL SIDE SHOOTS:	1-Absent	2-Present		
9 MATH	RITY (earli	iness of horvest-mature h				
•		eta this section for at les				
	SEASON	Applic, 1 #of days	Check 1 wol days		CHECK VARIETY 3	
s	ipring	62	65		-	
s	ummer	69	69	TALL GUZMAN TALL GUZMAN TALL GUZMAN		
F	all ,	89	89	TALL GURMAN	·	
[w	linter				· · · · · · · · · · · · · · · · · · ·	
Give plan	ting date(s).	and location(s):		•		
Sp	oring A	ord 1, Sali	uas Valley (4		
Su	mmer J	NEI, SAL	nas Valley (A		
Fal	n <u>S</u> e	pt 25, Yun	14 AZ		·	
	nter No	V 15 Your	MA AZ	ty name on the appropriate line.		:
O. ADAPTA				ty name on the appropriate tine.		· · · · · · · · · · · · · · · · · · ·
O. ADAPTA		RY REGIONS OF ADAP	TION (tested and prove	n adapted): (0~Not tested	1=Not Adapted	2=Adaptedl
2	Southwe	st (Calif., Ariz. desert)	West Coast	O Northeast		
0	Northcer	ntral	O Southeast	OTHER	·	
	SEASON Z Spri	ing larea SALWAS VA	lley,	Z Fall (area Yuum	4 A2	· 1
	Z Sum	omer larea Salinas Va	illay,	Winter (area		
0	GREENH	KOUSE: 0-	Not tested	1-Not Adapted	2	-Adapted
3	SOIL TY	PE: 1-A	Aineral	2-Organic	3.	-Both
	•					

FORM LS-470-1 (9-26)

Mage 10

		
11. DISEASE 3/28	ES AND STRESS REACTIONS (0≃Not tested; 1≃Susceptible	; 2=Intermediate; 3=Resistant; 4=Highly resistant; 5=Tolerant);
2/28	VIRUS	FUNGAL/BACTERIAL
OND M	Big Vein	3 Corky Root Rot (Pythium Root Rot)
H'.	Lettuce Mosaic	Oowny Mildew (Races)
	Cucumber Mosaic	Powdery Mildew
	Sroad Bean Wilt	Sclerotinia Rot
	Turnip Mosaic	Bacterial Soft Rot (Pseudomonas spp. & others)
	3eet Western Yellows	Botrytis (Gray Mold)
	Lett. Infectious Yellows	OTHER
·	Other Virus	
	INSECTS	PHYSIOLOGICAL/STRESS
	Cabbage Loopers	5 Tipburn O Salt
	O Root Aphids	Z Heat O Brown Rib (Rib Discoloration, Rib Blight)
	Green Peach Aphid	O Drought OTHER
	Other Insect	Cold
	POST HAR	EVEST
	O Pink Rib	(7) Internal Rib Necrosis (Blackheart, Gray Rib, Gray Streak)
•	Russet Spotting	8rown Stain
	Susty Brown Discoloration	
12 810005111	CAL OF SI FOTO COLORESTO AND THE SE	
· 2. BICCHEMIC	CAL OR ELECTROPHORETIC MARKERS:	
•		•
13. COMMENTS	5:	

SUGGESTED CHECK VARIETIES

TYPE

- 1) 2)
- CUTTING/LEAF BUTTERHEAD BIBB COS, OR ROMAINE GREAT LAKES GROUP VANGUARD GROUP
- IMPERIAL GROUP EASTERN GROUP
- STEM LATIN 9) 10)

CHECK VARIETY

SALAD BOWL
DARK GREEN BOSTON
BIBB
PARRIS ISLAND
GREAT LAKES 659-700
VANGUARD
VIVA
ITHACA
CELTUCE
MATCHLESS












Exhibit D

GORILLA is a large, romaine lettuce with excellent tip burn and bolting tolerance. It has also shown field resistance to corky root disease. Its growth is upright with a savoyed appearance and an extremely dense heart. GORILLA's versatility makes it an excellent choice for conventional box, romaine hearts, or salad packs. It fits in the spring Coastal California slot and the fall Arizona slot.

Trial map #:	SV00115						PERFORM.	PERFORMANCE INDEX Comparison of Head Characteristics	X aracteristics				Motorite Dotes	
Wet Date:	5/4/00				**		ner malura)		Ranch:	Martin			Maturicy Date: 1 Gorilla	7/12/00
Date evald:	1/5/00				Grower:	Franscioni Bros	Bros		Lot:	5B			2 Tall Guzmain	7/12/00
	iamete	. (mm)	Core Length (mm		Heart Length (mm)	th (mm)	Head le	Head length (mm)	Head length:Core Length	ore Length	Frame diam (cm	(cm)	Head wt. (g)	
Sample #	Gorilla	Tall Guzmain Gorilla	Gorilla	Tall Guzmair	nair Gorilla	Tall Guzm Gorilla	П	Tall Guzmain Gorilla	Gorilla	Tall Guzmain	Gorilla	Tall Guzmai	Gorilla	Tall Guzmain
	1 45	37	45		240		240	260	5.3	6.8		36	40 440	200
. 4		32		09	290	200		270	7.8					486
		32					290	270	7.3		36			775
7		33						260	5.8	5.7	34		35 650	683
- 1		40			260			270	7.0	5.4			37 552	382
~	6 45	33						290	6.0		39		38 417	633
, ,		27			240		240	260	5.9	0.9			38 517	432
		39	40					260	6.8	6.2				541
~ 1		35	40					250	7.0	6.1				562
10		35	35				300	250	8.6	6.1	39			575
		30						260	8.6	6.7				579
12		37						260	7.0	4.6			40 539	616
13		32					280	240	8.9	8.0	36			691
14		34	37					290	7.8	5.9				496
15		35			290			280	7.8	5.2	40		35 541	349
91		29					240	280	6.5	4.4	38	į		500
17	7 40	29		54				260	6.5	4.8			40 593	463
18		32					260	250	7.4	5.1	36		39 66	411
19		40			240			260	7.1	4.6	37			613
20		36	39				270	260	6.9	7.2	37		38 665	510
21		33	41	57				250	6.6	4.4	34		33 509	371
22		36		47		210	270	240	9.9	5.1	42		34 444	420
2	•	46						270	7.7	13.5				909
	36	40				210		260	7.5	8.7				526
Average	38.7	34.7	38.7	4		214.2	7	262.5	7.0	6.2	36.7		37.6 552.6	525.8
Stan dev	3.1	4.3						13.3	0.8	1.9			2.0 86.9	107.5
T test	5 82B-04		4 50F-03		2 39F-101		1.47E-01		5 30E 00		1 425 01		2 475 01	

				PERFOR	PERFORMANCE INDEX	X							
Trial map #: Wet Date:	SV00094 4/22/00		Location: Green Field	Сотрагі	Comparison of Head Characteristics Ranch:	aracteristics Ranch:	12		-	Maturity Date:	00/56/9		
Date evald:	00/52/9		Grower: Bassetti			Lot:	4		. 2	2 TallGuzmain	6/23/00		
	Core Length (mm)	(mm)	Heart Length (mm)	Core Dian	Core Diameter (mm)	Head length (mm)	(mm)	Head length: Core Length		Frame diam (cm)		Head wt (v)	
Sample #	Gorilla	TallGuzmain	Gorilla TallGuzmain	Gorilla	TallGuzmain	Gorilla	TallGuzmain	Gorilla TallG	Τ_	Gorilla	TallGuzmair	Gorilla	TallGuzmain
	65	46	220		42 40	250	230	3.8	5.0		33	707	00
2	2 76		220				260	3.4	43	33	33	(2)	29
3		i	220			3 260	230	3.8	4.2	33	3 6	200	5 9
4	50	50	210				240	5.2	4	34	34	770	3 8
5			7 240 210				250	4.8	5,3	35	35	623	3
9			200		42 30		260	5.0	43	32	35	280	3
7		54	210		40 30		260	4.3	4.8	33	31.6	545	
8			220			260	260	4.7	5.0	31	34	2. 42	8
6	53		190		43 38		260	4.3	8.9	33	35	269	3 3
10	45		210		44 36	250	230	5.6	4.2	33	36	585	35
			220		43 36		240	3.9	5.7	34	33	586	12
12			220		40 37		230	4.8	5.1	37	29	844	82
13	09	52	230				270	4.5	5.2	35,	35	625	46
14			220		42 38		250	3.5	9.6	34	36	953	79
15	89	40	240				230	4.0	5.8	34	35	623	49
16			200		40 38		260	4.0	4.6	36	34	593	41
17			200		8 40	240	230	5.1	5.1	32	34	610	09
18			210		38 40		270	5.1	6.1	36	35	548	32
19		42	200				270	4.9	6.4	33	30	633	52
20			210				250	5.7	5.0	34	31	542	75
21			220				240	5.2	3.8	33	34	469	39
22			210		40 38		250	3.7	9.6	34	34	428	9
23			140			180	240	3.5	6.3	34	29	627	62
24	48	30	180		43 35	220	230	4.6	7.7	33	26	475	56
Average	56.5	4	.,		1 37.6	247.9	247.5	4.5	5.3	33.7	33.1	620.9	621
Stan dev	9.8	8.1	20.4	8 2.7	7 2.8	20.6	14.5	0.7	6.0	1.4	2.5	111.3	146
Ttest	2.25E-03		7 53E-01	2.72E_0		0 350 01		1 3/27 02		2 225 61		A 000 A	

	Core Diameter (mm)	(mm)	Core Length (mm)	ım)	Heart Length (mm)	(Head length (mm)	h (mm) d	Head length:Core Length	ve Length	Frame diam (cm)	(mc	Head wt. (g)	
Sample #	TallGuzmain Gorilla	Gorilla	TallGuzmain Gorilla	Jorilla	TallGuzmain G	Gorilla	TallGuzmain Gorilla		TallGuzmain	Gorilla	TallGuzmain Gorilla	Gorilla	TallGuzmain Gorilla	Jorilla
1	40	36	90	150	255	285	310	310	3.9	2.1		18	788	1085
2	40	41	1 20	150	250	280	310	310	4.4	2.1		31	998	570
3		49		144		285	340	300	4.0	2.1		30	098	720
4		40		110	270	275	310	325	4.1	3.0		32		725
5		37		220	255	275	310	330	3.9	1.5	40	33	765	1089
9		45		170		310	310	320	3.3	1.9		32		655
7		40		150		290	330	350	4.0	2.3		35	708	842
8		40		130	250	245	300	300	4.0	2.3		30		985
6		41		120		165	310	320	3.9	2.7	43	32		768
10		40		125		275	300	320	3.8	2.6	43	32		564
11		40		135	265	280	310	320	4.4	2.4	43	32		699
12		45		120		260	310	280	4.4	2.3	39	28		766
13		36		120	260	270	310	230	3.9	1.9	36	23	1037	1045
14		42		150	270	310	330	330	4.1	2.2				712
15		40		150		285	310	320	4.4	2.1	44	32	206	875
16		43		120		270	330	300	3.7	2.5		30	1	560
17		40		175		305	320	330	4.6	6.1	45	33	1381	881
18		45		135		165	325	320	5.4	2.4	39	32		830
61		39		110		275	335	320	4.2	2.9	45	32	986	755
20		40		125		285	305	330	3.8	2.6	39	33	725	1005
21		45		125		270	320	320	5.3	2.6	545	32	948	828
22		42		120		280	320	310	8.0	2.6	44	32		995
23		44		155		285	310	310	3.9	2.0	40	31	196	1420
24		45	95	150	245	275	300	325	3.2	2.2	40	32	920	905
Average	39.5	41.5		140.0	25	270.8	315.2	313.8	4.3	2.3	41.7	31.4	875.4	843.7
Stan dev	1.5	3.2		24.7	9.5	35.6	11.3	22.6	6.0	0.3	2.6	2.2	154.1	201.4
T test	9.16E-03		4.56E-15		6.99E-02		7.78E-01		1.36E-12		3.45E-19		5.44E-01	

Date evald 3/27/01 Eval by: dgaclmjt

Ranch/lot: 4A Commercial V: Clemente

Trial map #: RYM00128 Location: Roll
Wet Date: 12/9/00 Grower: Amigo

10/15/00 Grower: Mellon/D'Arr Commercial V: Green Towers Eval by: dg/jt Trial map #: SYM00385
Wet Date: 10/1

	Core Diameter (mm)	_	Core Length (mm)		Heart Length (mm)	(iii	Head I	Head length (mm)	Head lenoth: Core Lenoth	ore Lenoth	Frame diam (cm)		Hond me (a)	ſ
Sample #	Tall Guzmaine Gorilla		Tall Guzmain Gorill		Tall Guamaina	5 mil 11.0					ו ומוזור תומוו		ricau wt. (g)	
	7		A data Constitution	Comma	ш	Cornia	I all Cuzma Gorilla	Gorilla	Tail Guzmaine Gorilla	Gorilla	Tall Guzmain Gorilla	Gorilla	Tall Guzmaine Gorilla	Jorilla
		38	31	45	235		280	340	0.6	7.6	30	38		ш
, 4	37	36	30		230	330				7.7				740
<*}	36	35	22	50	255			310				100	_	477
4	33	37	30	27	090					0.0				370
,		,	3		2007					8.9	34	35	621	746
		3	707		260		300		15.0	7.8	35	36	444	652
,		33	25		240		300	330	12.0	8.3	3 36			503
		37	32		260	275	330	310		7.8		3,6	823	583
3		32	30		260		300	340		7.4				500
6		34	30		295	230	290	280		7.0			804	200
10		42	25	40	280		310			8.5		38	470	700
	38	9	35		250	275				9.4			452	582
12		e e	35		260					9.6			374	396
13		34	32	46	260					6.7			343.	550
14		35	20	44	260			300		8.9			940	464
15		32	20	45	230			300		6.7			909	110
16		36	20	45	240			330		7.3			452	509
17		38	35	51	240			355		7.0			989	608
18	32	35	20	25	220		260	315	1	12.6			352	673
19		34	25	55	260		290	360	11.6	6.5			553	590
707		OS.	21	30	230			320	12.9	.01	7 35	34	330	531
21		37	26	30	280		310	320	11.9	10.7			576	535
77		40	26		230			320	10.4	10.7	7 38	42	909	787
23		35	25	36	245		290	320	11.6	6.8		44	389	636
74		40	20	30	170	300	230	310	11.5	10.3	38		618	535
Average	34.2	35.6	26.5	40.2	247.9	273.3	291.7	324.2	11.4	8.4	35.9	37.4	486.0	562.8
Stan dev	2.8	3.1	5.4	7.8	24.7	22.6	24.4	19.0	2.1	1.7			107.9	1001
T test	9.38E-02	7	5.72E-09		5.36E-04		5.38E-06		1.52E-06		6.28E		1.40E-02	

Trial map #:	SV00115						PERFORM.	PERFORMANCE INDEX Comparison of Head Chan	PERFORMANCE INDEX Comparison of Head Characteristics			ů.	Maturity Date	
Wet Date: Date evald:	5/4/00 7/5/00				Location: Chualar Grower: Franscioni Bros	Chualar Franscioni E	3ros		Ranch: Lot:	Martin 5B			1 Gorilla 2 Green Towers	7/12/00
	Core Diameter (mm)		Core Length (mm)		Heart Length (mm)	h (mm)	Head ler	Head lenoth (mm)	Head Jenoth Core Length	ore I enath	Brame diam (cm)	(2007)	Hand with (a)	
Sample #	Gorilla	Green Towers Gorilla		en Tower)	Green Tow Gorilla		Green Tower Gorilla	Gorilla	Green Towers	Gorilla	Green Tower Corilla	(S)	Green Tousen
I	45	34	45	40	IIÇ	230	40	090	53	in the second				Olecii Toweis
2	37		5	35	290	5	290	230						327
3			4	43	290	200	290	230		5.3	36		927	459
4	43	37	4	3 48 25	250	220	250	260				38		306
5	37		3	45	260	210	260	260	7.0				552	360
9	45	32	4	30	260	230	270	270				38		447
7			4	09	240	230	240	280	5.9					560
8		36	4	56	240	240	270	270	6.8					274
6			4	37	280	240	280	270	7.0	7.3	36	37		537
10		32	60	46	300	230	300	260	8.6					355
11			3	50	300	250	310	280	9.8	5.6	37		547	378
12		36	37	57	230	230	260	280	7.0					354
13			41		260		280		6.8		36		10/9	
14			37		290		290		7.8		36		515	
15			37		290		290		7.8		40		541	
16			37		240		240		6.5		38		640	
17			40		240		260		6.5		37		593	
18	į		35		260		260		7.4		36		999	
19			34		240		240		7.1		37		531	
20			39		240		270		6.9		37		599	
21			41		270		270		9.9		34		509	
22			41		270		270		9.9		42		444	
23			35		260		270		7.7		36		386	
24			36		260		270		7.5		36		624	
Average	38.7	34.3	38.7	45.6	` '	225.0	269.6	262.5	7.0	0.9	36.7	38.1	552.6	398.9
Stan dev	3.1	2.0	3.1			17.3	19.4	17.1	0.8	1.2	2.1	1.3		83.3
Trest	0 24F-05		2 10H-03		1 OKE OK		10000		LO LIVY		00 2007 7		TO CO.	

	Core Diameter (mm)	(mm)	Core Length (mm)		Heart Length (mm)	m)	Head length (mm)	nm)	Head length: Core Length	ore Length	Frame diam (cm)		Head wt (a)	
Sample #	GreenTowers Gorilla	Gorilla	GreenTowers Goril	a	GreenTowers Gorilla		GreenTowers Go	"	GreenTowers	Gorilla	GreenTowers	rorilla	Green Towers Gorilla	horilla
1	38	36	130	150	280		360	310	2.8	12.0	43	7	1033	1085
2	44	41	130	150	300	280	360	310	2.8	2.1		3 2	589	570
3	45	49	9 135	144	290	285	340	300	2.5	2.1	47	30	655	720
4	45	40		110	280	275	310	325	2.6	3.0	47	32	751	725
5	45	37		220	275	275	360	330	3.4	1.5	45	33	863	1089
9	45	45	5 135	170	280	310	350	320	2.6	6.1		32	860	655
7	41	40		150	290	290	335	350	3.4	2.3		35	1043	842
∞	44	40		130	275	245	330	300	2.5	2.3	45	30	833	985
6	40	41		120	245	165	310	320	3.4	2.7	43	32	367	768
0 ;	45	40		125	285	275	370	320	2.7	2.6		32	905	564
	41	40	1	135	270	280	335	320	2.7	2.4	42	32	875	699
12	46	45		120	290	260	360	280	3.8	2.3	40	28	1160	766
13	43	36		120	265	270	320	230	2.7	1.9	42	23	563	1045
14	45	42		150	270	310	330	330	3.1	2.2	45	33	1150	712
15	42	40		150	275	285	320	320	2.7	2.1	43	32	946	875
16	38	43		120	280	270	335	300	2.8	2.5	44	30	657	560
17	45	40		175	275	305	330	330	2.8	1.9	44	33	744	881
18	45	45		135	255	165	330	320	3.1	2.4	42	32	640	830
91	41	39		110	265	275	325	320	3.0	2.9	43	32	1005	755
70	43	40		125	295	285	320	330	2.2	2.6	47	33	1015	1005
21	35	45		125	245	270	300	320	3.0	2.6	45	32	812	828
22	43	42	-	120	265	280	295	310	2.6	2.6	45	32	978	995
23	40	44		155	265	285	330	310	3.7	2.0	41	31	812	1420
24	44	45	5 95	150	275	275	325	325	3.4	2.2	43	32	786	905
Average	42.6	41.5	-	140.0	274.6	270.8	332.5	313.8	2.9	2.7	44.1	31.4	835.2	843.7
Stan dev	2.8	3.2		24.7	14.1	35.6	19.7	22.6	0.4	2.0	2.0	2.2	194.5	201.4
T test	1.86E-01		1.87E-04		6.33E-01		3.60E-03		6.03E-01		5.67E-25		8.82E-01	

Ranch/lot: 4A Date evald 3/2
Commercial Var: Clemente Eval by: dgaclmjt

Trial map #: RYM00128 Location: Roll
Wet Date: 12/9/00 Grower: Amigo

		6	GreenTowers	793	713	732	685	638	704	635		797					506	796	558	750	725	092	570	637	535	405	209	580	5 599		
	Hond and	riead wt. (g	COTIIIA	727	652	627	999	623	580	545	641	769	585	785	000	944	620	953	623	593	610	548	633	542	469	428	229	475	6009	111.3	1 0215 01
: 6/25/00 6/25/00		1	Oreen Lower Corrilla	32	34	33	37.	33	32	35	36	33	32	34	22	00	33	36	34	32	33	32	33	32	35	33	35	35	33.4	1.3	
Maturity Date: 1 Gorilla 2 GreenTowers	Frame diam (cm)	Gorillo		32	33	33	34	35	32	33	31	33	33	34	37	30	C .	34	34	36	32	36	33	34	33	34	34	33	33.7	1.4	5 28E 01
1 2	Ore I enoth	Ţ	m٦	4.9	5.8	0.0	3.0	3.9	4.1	3.3	4.3	5.3	5.6	5.1	5.5	2.0	4.0	3.5	5.6	4.0	6.3	7.0	4.9	4.5	4.0	6.3	5.2	4.7	4.9	0.0	
	Head lenoth Core I enoth	Gorilla	Ç			5.0			5.0	4.3	4.7	4.3		3.9									4.9	5.7	5.2	3.7	3.5	4.6	4.5	0.7	9.25E-02
12	th (mm)	GreenTowers	O'CO	700	260	200	250	290	290	240	250	240	270	230	260	250	0000	250	2/0	230	240	280	270	270	280	270	260	250	263.3	19.0	
f tracteristics Ranch: Lot:	Head Jength (mm)	Gorilla	030	UC2	260	097	202	780	240	260	260	230	250	260	260	270	036	007	0/7	230	240	240	230	240	250	250	180	220	247.9	20.6	9.92E-03
PERFORMANCE INDEX Comparison of Head Characteristics Ranch: Lot:	ter (mm)	GreenTowers	01/	9	38	40	2	24.0	35	38	43	44	32	42	43	40	42	77	0+0	40	40	40	40	40	40	40	41	45	40.0	2.9	
<i>PERFORM</i> Compariso	Core Diameter (mm)	ĺ	Ę		43		172					43	44		40								35				38		40.1		9.59E-01
Location: Green Field Grower: Bassetti	h (mm)	GreenTowers Gorilla	210	210	210	240	250	050	0.07	210	210	200	230	180	210	210	096	230	0.77	nai	081	240	230	240	240	240	220	210	220.4	24.4	
Location: Grower:	Heart Length (mm)	Gorilla	220	000	027	210	240	000	200	210	022	190	210	220	220	230	220	240	2 000	007	007	210	200	210	220	210	140	180	210.0	20.4	1.16E-01
	1m)	GreenTowers	53	45	95	77	75	5 6	01	7/	80	45	48	45	47	54	82	48	P C	800	38	40	cc	09	70	43	50	53	55.9	12.4	
SV00094 4/22/00 6/23/00	Core Length (mm)	Gorilla	65	76	89	50	85	48	9	200	2 2	23	45	99	54	09	75	89	3 5	2,5	4 4	4 4	4/4	42	48	67	52	48	56.5	8.6	8.57E-01
Trial map #: Wet Date: Date evald:		Sample #	1	C	3 6	4	5	9	7	,	0	6	10		12	13	14	15	71	T.	/1	01	61	07	717	7.7	23	24	Average	Stan dev	T test

Trial map #: SYM00385 Location: North Yuma Ranch/lot: Cocopah 14 Date evald 1/12/01
Wet Date: 10/15/00 Grower: Mellon/D/Art Commercial V: Green Towers Eval by: dg/ft

	Core Diameter (mm)	ւ (mm)	Core Length (mm)		Heart Length (mm)	(W	Head le	Head length (mm)	Head length:Core I ength	ore I enorth	Frome diam (cm)		Hand art (a)	
Sample #	GreenTowers Gorilla	Gorilla	Green Towers Gorill	а	GreenTowers	Gorilla	GreenToweGorilla		GreenTowners	Gorilla	Green Toursed Coulls	2112	Trad wt. (g)	
	35	38		45	8			240	ll v	Collina		-	Orecni owers Gornia	- 11
2		36			350			256	7.0			38	080	240
		200			CC7	000	CTC	ccs	6.7	7.2	33	37	531	499
5		35	į	50	265	260	310	310	8.9	6.2	35	38	489	370
4		37			275	295	360	330	12.0	6.8	37	35	833	746
5	40	35	55	41	275	285	340	320	6.2	7.8			069	659
9		33	45		310	280	335	330	7.4	8.3			615	503
7	30	37	40		305	275	360	310	9.6				476	583
8		32		46	260	285	335	340	10.5				597	200
6		34			280	230	340	280	10.6				730	500
01		42	33		265	250	340	340	10.3	8.5			733	493
		40			285	275	375	330	8.3				202	582
12		30	39		290	790	350	335	0.6				327	396
13		34	50		270	270		310	9.9				436	550
14		35	35	44	270	255		300	10.3				738	464
15		32	35		230	265	310	300	6.8	6.7			555	419
16		36	35		255	275	310	330	6.8	7.3			515	625
17		38	25		250	265	320	355	12.8				742	608
18		35			240	260	320	315	8.0	12.6			564	673
19	40	34		55	255	310	310	360	9.7	6.5			544	590
20		30			240	265	310	320	7.8	2.01	7 43	34	737	531
21		37			245	235	285	320	9.5	2'01			631	535
22		40			240	280	300	320	10.3	2.01	7 38	42	522	787
23	,	35		36	270	295	325	320	9.3	6.8	!		358	636
24	40	40	30	30	250	300	300	310	10.0	10.3	35		664	535
Average	36.7	35.6	37.0	40.2	265.4	273.3	328.8	324.2	9.2	8.4	ĕ	37.4	598.5	562.8
Stan dev	3.4	3.1	7.2	7.8	20.9	22.6	22.9	19.0	1.6	1.7		3.0	132.7	100.1
T test	2.58E-01		1.46E-01		2.14E-01		4.55E-01		9.70E-02		3.49E-01		2.98E-01	

Trialing Protocol for Intellectual Property Protection.

I. Set Up

- 1. Parental lines and competing varieties are identified.
- 2. Primary slots are identified.
- 3. Necessary accession lines are located and purchased/received from seed dealers or growers.
- 4. All varieties are assigned a number to maintain integrity, and anonymity.
- 5. Trials are set up in the Progeny warehouse with all necessary varieties. Variety arrangement for trial is diagramed.

II. Planting

- 1. Commercial plantings are located by contacting commercial growers during the planting slot recommended for the variety.
- 2. Field is located during commercial planting, and the necessary rows and area is marked off by a Progeny employee with proper training.
- 3. Varieties are planted according to diagram, in 100 ft. ranges.
- 4. All varieties are planted in same manner, to mimic the planting of the commercial variety as closely as possible.
- 5. A trial map is drawn diagramming the trial, the trial location in the field, and directions to the field.

III. Maintenance

- 1. All varieties are treated identically. The grower handles all watering, fertilization, and pest control, as if it was no different from the commercial field it is grown with.
- 2. Thinning of the trial is done by a crew contracted by the commercial grower.

IV. Evaluation

- 1. Evaluations are done as near to the time of the commercial harvest as possible by knowledgeable Progeny employees.
- 2. The evaluation is conducted "blindly". The evaluator(s) do not have the key to the trial at the time of evaluation.
- 3. 24 heads of each variety are evaluated.
 - a. The frame diameter of 24 random plants are measured to the nearest cm.
 - b. 24 mature heads of each variety are cut to the cap leaf.
 - c. The heads are carried to an adequate work station
 - d. The following measurements are then conducted and recorded:
 - 1. Each head is weighed to the nearest gram.
 - 2. The core diameter of each head is measured to the nearest mm.
 - 3. The heads are then sliced in to halves, discarding 1 half.
 - 4. The core lengths (from the cut stem to the core tip) are measured to the nearest mm.
 - 5. The head length (from the cut stem to the cap leaf) is measured to the nearest mm.
 - 6. The head diameter (at its widest point) is measured to the nearest mm.
 - 7. The ideal maturity or harvest date is then estimated based on the solidity of the head, the core length and any other physiological characteristics present.
 - 8. The leaf color is documented using the Munsell Color Charts for Plant Tissue.
 - e. From these measurements, we then use an Excell program to calculate the averages, the standard deviations and the T-Tests for the compared varieties.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in 1974 (5 U.S.C. 552a) and the Paperwo	n accordance with the Privacy Act o
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to de certificate is to be issued (7.U.S.C. 2 until certificate is issued (7.U.S.C. 2426	etermine if a plant variety protection 421). Information is held confidential
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION	3. VARIETY NAME
PROGENY ADVANCED GENETICS, INC.	OR EXPERIMENTAL NUMBER	
GENETICS, INC.	PX 404	GORILLA
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)
1536 B MOFFETT ST	831-751-6030	831-751-6032
SALINAS CA 93905	7. PVPO NUMBER	
	200200) 1 1 3
8. Does the applicant own all rights to the variety? Mark an "X" in appropri	nate block. If no, please explain.	YES NO
		·
		•
 Is the applicant (individual or company) a U.S. national or U.S. based of If no, give name of country 	ompany?	YES NO
10. Is the applicant the original owner?	O if no, please answer one of the fo	ollowing:
y Marketo tille a		•
 a. If original rights to variety were owned by individual(s), is (are) the or 	iginal owner(s) a U.S. national(s)?	
YES N	IO If no, give name of country	
b. If original rights to variety were owned by a company(ies), is(are) the	original owner(s) a U.S. based company	?
YES [] N		•
11. Additional explanation on ownership (if needed, use reverse for extra sp	nacat	
		•
	-	
PLEASE NOTE:		
Plant variety protection can be afforded only to owners (not licensees) who meet or	ne of the following criteria:	
 If the rights to the variety are owned by the original breeder, that person must be which affords similar protection to nationals of the U.S. for the same genus and 	a 11 S parional ancienal aca 11001	er country, or national of a country
2. If the rights to the variety are owned by the company which employed the origin member country, or owned by nationals of a country which affords similar prote	al breadar(s) the company was to 17 S to	ed, owned by nationals of a UPOV enus and species:
3. If the applicant is an owner who is not the original owner, both the original owner		•
The original breeder/owner may be the individual or company who directed final br		

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and market or familial status, (Not all programs). Persons with disabilities who require atternative means for communication of program information (braille, large pinit, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2500 (voice and TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).